SWANDOO

EN/中文




MARIE 5

i-Size Child Seat

FOR THE LITTLE AND NOT SO LITTLE ONES
40–105 cm, up to 18 kg


360 DEGREE PEACE OF MIND
Rearward and forward facing

I-SIZE, ECE R129/03
Certified to meet the most demanding safety regulations




















REARWARD-FACING
MANDATORY <15 MONTHS
40–105 CM or up to 18 KG

FORWARD-FACING
>15 MONTHS
76–105 CM or up to 18 KG

27



Say ‘Hi’ to Marie!
360°peace of mind.

READY... STEADY... GO!

Flip out the two pages from the cover on top and get started right away.



INDEX

Product parts 2
Installing in the vehicle. 4
Placing the Side Impact Buddy 5
Placing your baby. 6
Rotating the seat 7
Removing from the vehicle 9
Child direction 9
Removing the fabrics for washing 9
Important Information 11
Product lifetime warranty 12
Vehicle compatibility . . . . . a

PRODUCT PARTS

- A Adjustable headrest
- B Headrest strap adjuster
- C Magnetic harness holder
- D Harness buckle
- E Crotch pad
- F Harness adjuster
- G Recline trigger
- H Rotation button
- I Rotation button top safety lock
- J Rotation safety indicator
- K Fabric cover
- L ISOFIX connector
- M ISOFIX guides
- N ISOFIX connector sliding and unlock trigger
- O ISOFIX safety indicator
- P Side Impact Buddy
- Q Side Impact Buddy socket
- R Support leg
- S Colour indicator for support leg
- T Support leg's adjustment button
- U Fabric cover installation tool
- V Pocket compartment for user manual
- W User manual
- X Newborn pillow
- Y Paramedic wristband

Please find the latest version of this user manual online at **swandoo.com/marie-5-user-manual**. The latest digital version may contain important updates and overrules previous versions.
In case of discrepancy, the latest update should be followed.

For the maximum protection and comfort of your child, it is essential that you read through the entire manual carefully and follow all instructions on how to install and use this product.

Always keep it in the storage compartment of your seat. Also read the instructions in your vehicle owner's manual related to child safety seats. If not operated correctly it may result in serious injuries or even death.

NOTICE
This is an i-Size Enhanced Child Restraint System. It is approved according to UN Regulation Nr.129, for use in, i-Size compatible vehicle seating positions as indicated by vehicle manufacturers in the vehicle users' manual. If in doubt, consult either the Enhanced Child Restraint System manufacturer or the retailer.

Only use this product on a forward facing seat. Do not place rear facing child seats on front seats with activated airbags. This product has been approved according to the strictest European safety standards (ECE R129/03) and is suitable for rearward-facing (40–105 cm) and forward-facing (76–105 cm) driving position with ISOFIX anchoring system and support leg.

Important: Do not use forward-facing before the child's age exceeds 15 months.

The correct fitting of the ISOFIX anchoring system and support leg is of vital importance for the safety of your child. Please check your vehicle manufacturer's handbook to locate the ISOFIX anchor points.

This child seat may not fit in every vehicle. To find out if the seat fits your car, check **swandoo.com /car-compatibility-list/**

INSTALLING IN THE VEHICLE

1. If needed place the two ISOFIX guides on both ISOFIX anchor points between the seat and the seat back. Fold out the support leg.
2. Extend the ISOFIX connectors by pulling the ISOFIX connector sliding and unlock trigger and sliding it until the end.
3. Insert both connectors into the ISOFIX anchor points until you hear a "click".
4. Check that the ISOFIX safety indicators have turned green on both sides.
5. Place both hands on the child seat and push it against the vehicle seat until it is firmly positioned and tight to the seat.
6. Push the support leg's adjustment button and slide the leg downwards until it reaches the floor of the vehicle. The leg should be firmly pushed on the ground until the indicators turn green.



The safest place to install this product is on the rear seats of your vehicle.



However, if you need to install the seat in the front passenger seat, please ensure that the passenger seat is equipped with ISOFIX and ensure that the airbag is deactivated.

The child seat must be used only in vehicle seats equipped with ISOFIX connector and facing towards the driving direction.



Warning: Watch your fingers when folding or unfolding the support leg.

The support leg must never be suspended in mid-air or supported by other objects. In case there is a storage compartment in the floor of the seat you must check your vehicle manual or contact the vehicle manufacturer and clarify if the leg can be placed on it.

Make sure that the support leg does not raise the child seat from the surface of the vehicle seat.

The child seat should always be installed correctly, even when not in use. In a crash or sudden stop, the unsecured seat may harm other occupants.



Do not place any objects in the foot well in front of the support leg.

Prevent the product from becoming trapped or weighed down by luggage or any heavy objects.



Do not use this child seat with the vehicle seat belt.

Make sure that the product, its rigid items and plastic parts are located and installed in a way that they are not liable during everyday use of the vehicle, become trapped by a moveable seat or in a door of the vehicle.

PLACING THE SIDE IMPACT BUDDY

Marie 5 offers high-level integrated side impact protection. The Side Impact Buddy improves the protection even further.

7 Insert the Side Impact Buddy into the red oval socket on the side of the seat.

8 Rotate the Side Impact Buddy 90 degrees until it snaps in.



The Side Impact Buddy always has to be placed on the window side of the child seat and it may not fit or be compatible with every vehicle.

PLACING YOUR BABY

To make things easy and comfortable, start by turning the seat into boarding position.

9 Slide the top safety lock and then push the rotation button.

10 Press the red button of the buckle to open it.

11 Press the button at the harness adjuster and pull the harness from both sides to make enough room for the child.

12 Stick the shoulder pads to the magnetic latch on the bottom side surfaces of the headrest.

13 If your baby is below 60 cm height (6 kg) insert the included newborn pillow.

14 Place your little darling in the seat.

15 Pull the headrest strap adjuster. Move the headrest then slide it upward or downward. Adjust the headrest until the eye indicator matches the eye level of your baby.



! Adjust the headrest position whilst your baby is in the child seat.

Pay attention to the harness position on the child's shoulder to correctly set the headrest.

Marie 5's headrest contains magnets which can influence electronic apparatus such as pacemakers.

16. Overlap the two top buckle parts and insert them until you hear a "click".

17. Pull the harness upwards to reduce the slack on top of the child's legs.

18. Important! Pull the harness adjuster strap to tightly secure the child.

ROTATING THE SEAT

Marie 5 loves to twirl around...this child seat can rotate up to 360 degrees from any recline position.

19. Slide the top safety lock and then push the rotation button.

20. Rotate Marie 5. After the child is out, or in, and the harness secured rotate the seat back in place until you hear a "click".

21. Check that the seat is properly locked and that the safety indicator is green.

22. Press the recline trigger to adjust to the desired position.

23. There are 4 recline positions for rearward-facing direction and 4 for forward-facing direction. Wait for the "click" that confirms the correct placement of the child seat.

Newborns and infants (up to around 1 year of age) who are not able to sit by themselves, should always be transported rearward-facing in the flattest recline position.

Always check and be sure that the child seat is correctly adjusted before you start driving.

Do not adjust the child seat position while driving.



Try to pinch the harness with your fingers. If you can grasp any webbing, tighten up the harness and test again.

Please always use the included newborn pillow for babies below 60 cm (6 kg).



Never use this seat if the harness is damaged, twisted or worn-out.

Make sure the seat harness is worn low on the hip level and fastened tightly around the pelvis of your child.

If you cannot tighten the seat appropriately, stop using the seat immediately and contact your retailer.



Do not leave your child unattended in the child seat, not even for a short time.



You shouldn't have your child sitting in the child seat for more than two hours at a time.

Always cover the product when exposed to direct sunlight. Parts of the seat may get too hot for your child's skin. Check the temperature before placing your child into the seat.

Make sure the child seat is free from toys or objects.

Always secure your baby with the seat harness. Never take your child out of the child seat when the vehicle is moving.

Do not carry this child seat with your child in it.

REMOVING FROM THE VEHICLE

24 Pull both triggers, on each side of the child seat, at the same time until you hear both ISOFIX connectors unhook...

25 and slide them backwards to disconnect them.

CHILD DIRECTION

REARWARD-FACING
40–105 CM UP TO 18 KG



Rearward-facing is mandatory up to an age of 15 months, and recommended up to an age of 4 years.

FORWARD-FACING
76–105 CM UP TO 18 KG



Marie 5 can be used both rearward and forward facing depending on the size and age of your child.

The Child Direction Assistance function makes sure that you keep the rearward facing travel position until your baby reaches 76 cm.

This helps you follow the 15 months rearward facing requirement and keeps your little one safer.

26 Only when your child is taller than 76 cm, and Marie 5's headrest in the right position, will you be able to unlock the forward facing position.

REMOVING THE FABRICS FOR WASHING

27 If in use, remove the newborn pillow and open the back pocket to remove the padding.

28 Remove the crotch strap from the fabric and the four harness covers by opening them.

29 Now the best part... Loosen the whole cover by lifting it up from the edges. Pay attention

around the side impact buddy socket and the recline trigger. Remove the cover by pulling it up. Ta-daaaa!

Simple, right? We certainly hope so.

REPOSITIONING OF THE FABRICS

30 Find the fabric installation tool under the left side behind the headrest. Tuck the fabric edge into the right position.

! Make sure to put the covers back the same way they previously were. You can follow the previous steps in reverse order to make sure everything is in place.

WASHING INSTRUCTIONS



Please wash before first use!

Machine washable:
Fine/Delicate programme.
Hand wash recommended.

Use mild detergents. Do not dry clean, bleach or tumble dry. Keep away from your dog, your cat and direct heat. Do not use bleach, abrasive, upholstery or aggressive cleaning agents.

Clean the plastic parts and the integrated harness system with a mild detergent and warm water. Do not use lubricants.

Wrinkles?
Remove any wrinkles from the fabric cover with a steamer. If you don't have one available, try the steam function of your iron instead.

While steaming, be sure not to touch any plastic parts of the seat with the iron. Please be careful with hot steam! Keep it far from your body, your

cat, your dog, mother-in-law, house plants... etc. You get the point :)

Washing this fabric cover will not wash away your sins.

The fabric cover is a safety feature and the child seat should never be used without it.

If the cover needs replacing at any time, only use official Swandoo Marie 5 fabrics.

IMPORTANT INFORMATION

Never use the product in any configuration or assembly method not shown in the instructions.

Do not use any load bearing contact points other than those described in the instructions and marked on the child restraint.

Make sure luggage or other objects are properly secured. Unsecured luggage may cause severe injuries to children and adults in an accident.

Only adults should fix or adjust the product.

Do not make any changes to the product. This could affect its performance and make it unsafe.

Do not use the product with damaged or missing parts. Do not use a second hand child seat or child seat whose history you do not know. It is dangerous to use unauthorized or changed products!

Do not use the product if there is any evidence of unlicensed modification.

Do not remove any labels on the product. They contain important information.

Your Swandoo Marie 5 must undergo regular maintenance. Never use the seat as a means for transporting anything.

In the event of an emergency, it is important to release the child quickly. The buckle is not fully tamper-proof and your child should never play with it.

This product should be replaced when it has been subject to violent stress in an accident.

PRODUCT LIFETIME WARRANTY

Our warranty reflects our confidence in the high quality of our design, engineering, production and product performance. In case of a defect, please present your proof of purchase and the product's serial number which is located on the bottom of the product.

The warranty covers all manufacturing and material defects existing at the date of purchase, or appearing within 2 years from the date of receipt from the retailer. This warranty does not cover damages caused by normal wear and tear, negligence, accidents, abuse, use of unauthorized accessories or a result of failing to comply with the user manual.

You can extend to a product lifetime warranty for free, simply by registering your product online within 3 months from the date of purchase. In order to do so, peel off the warranty sticker that you find on Marie 5 and scan the QR-Code. You can also visit: **swandoo.com/register-product**.

If you have any questions or concerns about this product, or this user manual, please contact us before using the product.

We look forward to hearing from you!

If you have any questions, please contact our team. We are happy to hear from you!

hello@swandoo.com

+49 89 322096393

ALWAYS WITH YOU
www.swandoo.com

© 2024 Swandoo, All rights reserved


Swandoo GmbH
Landstrasser Hauptstrasse 71/3/101
1030 Vienna
Austria

EMEA Sales and Client Service:
Noerdliche Muenchner Strasse 47
82031 Gruenwald, Munich
Germany

Produced in:
199 Jinfeng Road, High-tech District
Suzhou City, 215009 Jiangsu, China

SWANDOO

EN/中文



MARIE 5

i-Size 汽车儿童安全座椅

适用范围
身高40–105 cm, 体重18 kg以下

360°全面保护
后向和前向安装

I-SIZE, ECE R129/03 / GB 27887 – 2024
经认证符合严格的法规标准

你好，Marie!
360°全面保护 。

准备好了吗?...开始!

打开顶部封面的折叠页，现在开始吧。



索引

产品概况 16
安装在车辆上 18
安装侧面防护装置 (Side Impact Buddy) . . 19
放置小孩 20
旋转儿童安全座椅 21
从车辆上拆卸座椅 22
儿童乘车方向 22
拆卸及清洗布套 23
注意事项 24
超长质保 25
适用车型列表 . . . . . a

产品概况

A 可调节头枕
B 头枕调节拉环
C 磁性肩带扣
D 肩带搭扣
E 护胯
F 中央调节器按钮
G 倾斜角度调节按钮
H 旋转操作按钮
I 旋转按钮顶部安全锁
J 旋转红绿显示
K 布套
L ISOFIX 连接器
M ISOFIX 导向套
N ISOFIX 连接器滑动及解锁拉环
O ISOFIX 红绿显示
P 侧面防护装置 (Side Impact Buddy)
Q 侧面防护装置插口
R 支撑腿
S 支撑腿红绿显示
T 支撑腿调节按钮
U 布套塞片
V 说明书存放处
W 说明书
X 新生儿衬垫
Y 紧急救援手环

请登录 **swandoo.com/marie-5-user-manual** 查看最新在线使用手册。在线使用手册上可能包含内容更新与变更。因此，请参考最新在线使用手册。

为了最大程度地保护您的孩子，并让其得到舒适的享受，请务必在使用前仔细阅读说明书及汽车使用手册中关于儿童安全座椅的内容，并依据说明书的指示正确安装及使用产品。

请始终将说明书放在座椅的说明书存放处。另请阅读车主手册中与儿童安全座椅有关的说明。如果操作不正确，可能会导致严重的人身伤害甚至死亡。

注意

这是i-Size儿童约束系统，符合GB27887—2024。用于安装在车辆使用说明书中由制造商指定的i-Size座位上。

仅在面向前方的座椅上使用本产品。请勿将安全座椅安装在配备安全气囊的前排座椅上。该产品已通过严格的欧洲安全标准（ECE R129/03）的认证，适用于后向安装（身高40–105 cm）和前向安装（身高76–105 cm）具有ISOFIX固定装置和支撑腿的座椅。

此i-Size儿童约束系统主要安装在车辆的i-Size座位上。也可安装在车型列表中所列的适配ISOFIX座位上。

注意：在儿童年龄超过15个月（体重约 9 kg）之前，不要使用前向安装（参阅使用说明）。

正确安装ISOFIX固定锚点和支撑腿对您孩子的安全至关重要。请查阅汽车制造商手册来确定ISOFIX锚点的位置。

切勿将后向使用的儿童座椅安装在前排有安全气囊的汽车座椅位置。其他的汽车座椅位置也可能适合安装此儿童约束系统。如有疑问，请咨询儿童约束系统制造商或零售商。这个儿童座椅可能不适合所有车辆。要确定座椅是否适合您的汽车，请访问我们的网站或本手册末尾。

此适用车型列表仅供参考，具体适用情况请查阅您的汽车说明书。此车型列表不断更新。最新版本可以向我们索取或从我们的官网上获取
swandoo.com/car-compatibility-list

安装在车辆上

1. 把两个ISOFIX导向套分别安装在汽车座椅和靠背之间的ISOFIX固定锚点上。打开支撑腿。
2. 向外拉动ISOFIX连接器滑动及解锁拉环并向前滑动，使ISOFIX连接器延展至最长位置。
3. 将两个ISOFIX连接器对准并插入汽车ISOFIX固定锚点，直到听见“咔嚓”声。
4. 检查安全座椅两侧的ISOFIX连接器的红绿显示都为绿色。
5. 在两侧均匀用力将儿童安全座椅推向车座靠背，直至其牢固的固定在汽车座椅上。
6. 按住支撑腿调节按钮，向下滑动支撑腿，直到支撑腿稳定接触汽车地面，并检查支撑腿红绿显示为绿色。



安装此产品最安全的地方是车辆的后排座椅。但是，如果需要将座椅安装在前排乘客座椅上，请确保该座椅装有ISOFIX并确保安全气囊已停用。

此儿童安全座椅必须且仅用于配备ISOFIX固定锚点并面朝行驶方向的车辆座椅上。



注意：请当心，在打开或扣合座椅支撑腿的时候，有夹手风险！

支撑腿绝不能悬挂在空中或被其他物体支撑。如果座椅地板上有储物箱，则必须检查汽车使用手册或与车辆制造商联系，并确认是否可以将支撑腿放在上面。

支撑腿需调节到合适长度，确保不会因支撑腿过长而导致座椅被抬起。

此安全座椅即使在不使用的情况下也必须用ISOFIX和支撑腿固定。在撞车或者急刹车时，未固定的安全座椅可能伤及其他乘客。



切勿在支撑腿的下方和周围放置任何物品。

请避免产品受到行李或重物的挤压。



请勿将此安全座椅用汽车安全带固定使用。

儿童安全座椅上的零部件或者自身安全带必须定位并安装正确，这样在车辆日常使用中，才不至于缠入移动座椅或车门内。

安装侧面防护装置 (SIDE IMPACT BUDDY)

Marie 5 提供了高级集成的侧面碰撞保护。侧面防护装置进一步提高了防护能力。

7. 将侧面防护装置安装到安全座椅侧面的红色椭圆形插口中。
8. 将侧面碰撞保护装置旋转90°，直到它锁定。




侧面防护装置总是安装在安全座椅的靠近车门的那一侧，它可能不适用于所有的车型。

放置小孩

为了使安装使用变得简单和舒适，请将安全座椅旋转到面向车门的90°位置。

9. 滑动旋转操作按钮上的顶部安全锁，然后向下按压旋转按钮。
10. 按下搭扣上的红色按钮，将其打开。
11. 按下安全座椅前端的中央调节器按钮，向两侧拉动肩带，为您的孩子留出足够的空间。
12. 将肩带依附在头枕两侧底部的磁性肩带扣上。
13. 如果您的宝宝体重低于6 kg，身高低于60 cm，请使用本产品附赠的新生儿衬垫。
14. 将您的孩子放入安全座椅中。
15. 拉动头枕调节拉环。移动头枕，然后向上或向下滑动。调整头枕，直到头枕高度指示标与宝宝的眼睛水平高度相同。



可以根据孩子在儿童安全座椅中其头部的位置来上下调节头枕的高度。

注意孩子肩部安全带位置，以正确调整头枕高度。

注意：Marie 5头枕内含有磁铁，能够影响电子设备，如心脏起搏器。

16. 将两个搭扣插片合并然后插入安全带搭扣内，并听到“咔嚓”声，说明已经扣合到位。
17. 拉紧座椅安全带调节器，以减少腿部安全带的松弛。
18. 重要！拉动座椅安全带调节器以牢固地固定儿童。

旋转儿童安全座椅

Marie 5 具有独特的360°旋转功能，可以从任何倾斜位置实现360°旋转，让您可以面对面将孩子放入或抱出安全座椅。

19 滑动旋转操作按钮上的顶部安全锁，然后向下按压旋转按钮。

20 旋转安全座椅。将您的孩子抱出或者放入后，固定好肩带，将座椅旋转到位，直到听见“咔嚓”声。

21 检查座椅是否正确锁定，旋转按钮指示是否为绿色。

22 拉动倾斜角度调节拉手，以调整到合适的角度。

23 前向和后向方向均有4档倾斜位置。当调节倾斜位置时，等听到“咔嚓”声后，确认座椅处于正确的锁定位置。

! 新生儿和婴儿（最多1岁左右）尚不能独立坐起来，为了保护脊椎的安全，应尽量使用后向的最大躺角档位。

在车辆行驶前，请务必检查并确保安全座椅已调整到正确位置。

车辆行驶时请勿调整儿童安全座椅。



! 尝试用手指捏住安全带。如果用手指能捏住，则仍需拉紧安全带并再次测试。

身高60 cm(体重6 kg)以下的宝宝请始终使用本产品附赠的新生儿衬垫。



切勿使用肩带破损，扭曲或磨损的安全座椅。

保证腰带佩戴时能很好地约束骨盆部位。

如果发现安全带不能被系紧或出现松动，请联系零售商，并立即停止使用。



注意：切勿将孩子单独留在安全座椅内，即使是很短的时间。



切勿让孩子乘坐安全座椅每次超过2小时。

避免阳光长时间直接照射安全座椅使部件过热烫伤孩子。请使用安全座椅前请检查安全座椅表面温度是否适宜。

确保安全座椅上没有玩具或物品。

请务必使用肩带和胯带束缚系统来保护您的孩子！当汽车在行驶时，不要将孩子抱出安全座椅。

从车辆上拆卸座椅

24 同时向外拉动儿童安全座椅两侧的ISOFIX解锁拉环，直至听到两侧ISOFIX连接器解锁后的“咔嚓”声。

25 向后滑动ISOFIX连接器，同时将安全座椅向外拉出。

儿童乘车方向

后向安装
身高 40-105 CM，体重 18 KG以下



法规强制性要求后向安装至15个月，建议后向安装一直使用至4岁。

前向安装
身高 76-105 CM，体重 9-18 KG



根据孩子的身高和年龄，来选择正向或后向安装Marie 5。头托限位功能能够限制76cm以下的宝宝前向使用。这项功能能帮助15个月以下儿童遵守后向乘坐要求，保障安全。

26 仅当您的孩子身高超过76厘米并且Marie 5的

头枕处于正确位置时，Marie 5才可以前向安装。

拆卸及清洗布套

27 取出新生儿衬垫（如果使用），打开背部的口袋，直接把填充物取出。

28 只需打开护肩布套和护腰布套上的按钮，即可将护肩和护腰取下。

29 只需从壳体边缘向上提起布套，即可取下整个布套，取下整个布套时，注意侧面防护装置插口和倾斜角度调节按钮。
简单吧？
我们当然希望如此。

安装布套

30 请找到头枕后面左下方的塞片，使用此塞片把布套安装到位。

请确保布套安装正确，可依据拆卸布套的相反顺序来操作，确保每个部件都在正确的位置。

洗涤说明



首次使用前请清洗布套！
可机洗：精细洗涤/精致程序。
建议手洗。

使用温和的中性清洁剂。请勿干洗、漂白或烘干。
让布套远离你的宠物和热源。请不要使用漂白剂、研磨剂、室内装潢剂或腐蚀性清洁剂。
您还可以用温和的清洁剂和温水清洁塑料部件和安全带，但不要使用润滑剂。

关于褶皱？

如果你想让布套看起来光滑平整一些，可以用挂烫机去除布套上的褶皱。如果你没有可用的挂烫机，试试熨斗的蒸汽功能。

使用时，确保不要用挂烫机/熨斗接触座椅的任何塑

料部件。请小心热蒸汽！让它远离你的身体、宠物、家人、植物等等。现在你明白它的危险性了吧，请正确使用 :)

布套也是安全性部件，千万不要使用没有布套的安全座椅。

任何时候需要更换布套，请务必使用Swandoo原厂Marie 5的布套。

注意事项

不要使用本说明书中没有提及的配置及安装方法。

除了说明书所述并在儿童约束装置上标明的承重接触点外，不要使用任何其他承重接触点。

请确保行李或其他物件放在安全的位置并固定，防止在碰撞中造成人员受伤。

此产品仅供成人安装及调节。

不要私自对产品做出任何的更改或拆解，否则会影响其性能并会导致意想不到的危险。

请勿使用损坏或缺少零件的产品。

不要使用二手的或来历不明的儿童安全座椅。使用没有认证许可或经过改装的产品是危险的。

如果有任何未经许可的修改迹象，请不要使用该产品。

请勿去除产品上的任何标签。它们包含重要信息。

您的安全座椅必须定期进行维护。切勿把安全座椅作为运输工具使用。

确保安全带搭扣完全锁定，若发生紧急状况，可以快速松开孩子。这个搭扣不是完全防篡改的，因此切勿让您的孩子玩耍。

如果本产品在事故中受到强烈的撞击后，应更换座椅。

Swandoo事故换新政策详见**swandoo.com/zh/warranty-policy**第5条。

应阅读汽车制造商提供的手册(仅适用于i-Size儿童约束系统,不要使用本说明书中没有提及的配置及安装方法。

儿童约束系统的刚性部分和塑料部件应妥善放置,以避免它们在车辆正常使用中被车辆座椅的移动或车门的关闭卡住。

应系紧儿童约束系统与车辆连接的每条织带,支撑腿应与车辆地板接触,约束儿童的织带应根据儿童的身材进行调整,织带不应扭曲。

如果儿童约束系统的表面覆盖层不是纺织物,应远离日光照射,否则座椅表面会烫伤儿童皮肤。

不要将儿童在无人照看的情况下放置在儿童约束系统内。

在碰撞事故中易造成伤害的行李和物品应被妥善安放。

因为儿童约束系统总体性能与面套材料有关,不能使用未装面套的儿童约束系统,也不能使用除制造商推荐的材料以外的其它材料替换儿童约束系统面套。

超长质保

我们的保修条款反映了我们对设计,工程,生产和产品性能高品质的信心。如果有缺陷,请出示购买凭证和位于产品底部的产品序列号。


保修期2年,包括从购买之日或从零售商收到之日起2年内出现的所有制造和材料缺陷。此保修不包括由于正常磨损,疏忽,事故,滥用,使用未经授权的附件或不遵守用户手册而造成的损坏。

您可以免费延长您的产品保修期至8年(布套类产品延保至3年),只需在线注册您的产品。请扫描产品底座背部二维码,或者您也可以访问Swandoo的官网**swandoo.com/register-product**

此产品只能在中国市场销售使用,如果您对本产品或使用手册有任何疑问或疑虑,请在使用该产品之前与我们联系。

VEHICLE COMPATIBILITY

VEHICLE	YEAR	1	2	3	4	5	6	7
××××	××××	○	●	●	●	●	●	●





- ● Yes
- ○ Yes, but do not use on a passenger seat with an activated front airbag!

NOTICE: This vehicle compatibility list serves as a reference guide. Please consult your vehicle manufacturer's handbook to verify the suitability of this child seat for your specific vehicle, as it may not be compatible with every model. The compatibility list is regularly updated to ensure accuracy. For the latest version, please visit **swandoo.com/car-compatibility-list**.

If your vehicle is not listed, kindly contact us at **hello@swandoo.com** for further assistance.

[1] The ISOFIX anchoring points deep in the seat cushion make installation more difficult. Please make sure that you properly engage both ISOFIX locking arms.


[2] The middle row of seats must be as far forward as possible.

[3] The vehicle seat must be as far back as possible. The support leg must not touch the storage compartment.

[4] Only approved with additional filler in the storage compartment.

适用车型列表

车型	年份	1	2	3	4	5	6	7
××××	××××	○	●	●	●	●	●	●





- 是

○ 是，但是请勿在前排安全气囊已启用的乘客座椅上使用！

注意：此车型适用列表仅供参考。因为不同汽车的安全座椅接口不同，本产品无法适配所有的车型，所以请查阅您的车辆使用说明书来确认该儿童座椅是否适合您的车辆。该车型列表会不断更新以确保为您提供准确的信息和帮助，有关最新版本，请访问Swandoo官网页面：

swandoo.com/car-compatibility-list

如果您的车辆未出现在该列表中，请联系 **support@swandoo.com** 我们会帮您进一步确认 。

[1] 因ISOFIX固定点位于车辆座椅的坐垫深处，使安装会更加的困难。请确保安全座椅两边的ISOFIX连接器都连接正确并锁定。


[2] 车辆上的中排座椅，在安装儿童安全座椅时需固定于最靠前的位置。

[3] 汽车座椅需置于最靠后的位置，避免将支撑腿放在储物盖上。

[4] 仅可在储物盒中添加额外的填充物。

VEHICLE COMPATIBILITY/ 适用车型列表

Alfa Romeo . . . . . b
Audi . . . . . b
BMW c
Cadillac. . . . . e
Chevrolet . . . . . e
Chrysler. . . . . e
Citroen . . . . . e
Dacia . . . . . f
Daihatsu . . . . . f
Fiat . . . . . g
Ford . . . . . g
Honda. . . . . h
Hyundai. . . . . h
Infiniti i
Isuzu i
Jaguar i
Jeep i
Kia i
Lancia . . . . . j
Landrover. . . . . j
Lexus . . . . . k
Maserati . . . . . k
Mazda . . . . . k
Mercedes. l
MG. . . . . m
Mitsubishi . . . . . m
Nissan. . . . . m
Opel / Vauxhall . . . . . n
Peugeot . . . . . o
Pontiac . . . . . p
Porsche . . . . . p
Renault . . . . . p
Saab . . . . . q
Seat . . . . . r
Skoda . . . . . .r
Smart . . . . . s
Subaru. . . . . s
Suzuki . . . . . s
Tata. . . . . .t
Tesla . . . . . .t
Toyota . . . . . .t
Volvo. . . . . u
VW. . . . . u



ALFA ROMEO		1	2	3	4
156 Wagon	2003		●	●	
156 Saloon (Facelift 2003)	1997–2005		●	●	
156 Sportswagon	1997–2005		●	●	
159 SW (Facelift 2008)	2005		●	●	
159 (Facelift 2008)	2005–2011		●	●	
159 (Facelift 2008)	2006–2011		●	●	
Giulietta 940	2010		●	●	
GT Sportcoupe	2004		●	●	
MiTo	2008	○	●	●	

AUDI		1	2	3	4
A1 8x 3 Doors	08/10		●	●	
A1 8x 5 Doors	02/12		●	●	
A2	1999–2005		●	●	
A3, S3 (AB1) 3/5 Doors	1996–2003		●	●	
A3, S3 (AB2) 3/5 Doors	2003		●	●	
A3 (AB2)	2008		●	●	
A3 (Facelift 3) (8P)	2010	○	●	●	
A3	05/13	○	●	●	
A3 Sportback (8PA) 5 Doors (Facelift 2008)	2004–2012		●	●	
A3 Sportback	09/12		●	●	
A3 Sportback (Facelift 2016)	2012	○	●	●	
A3 e-tron	11/14		●	●	
A4 Avant (B5)	1996–2001		●	●	
A4 (B6)	2002–2006	○	●	●	
A4 (B6)	2000–2004		●	●	
A4 (B7)	2004–2007		●	●	
A4 (B7)	2006	○	●	●	
A4 (B8)	2007	○	●	●	
A4 (B8) (Facelift 2011)	2008–2015		●	●	
A4 allroad quattro	2009	○	●	●	
A5, S5 (B8)	2007	○			
A5 (B8) FL	11/11	○	●	●	

AUDI		1	2	3	4
A5 (B8)	03/09		●	●	
A5 (B8) FL	11/11	○	●	●	
A5 Sportback 5 Doors	09/09	○	●	●	
A5 Sportback (B8)	11/11	○	●	●	
A6	11/10		●	●	
A6, S6, RS6 (C5)	02/98–2004		●	●	
A6, S6, RS6 (C6) ; allroad quattro	01/04	○	●	●	
A6 Lim./Avant (C6)	2004–2011		●	●	
A6 (C7)	09/11	○	●	●	
A6 (C7 4B)	05/12	○	●	●	
A7 Sportback	2010		●	●	
A7 Sportback 5 Doors	08/11	○	●	●	
A7 Sportback (4G)	11/10		●	●	
A8 (4H)	02/10		●	●	
Q3 (8U)	10/11	○	●	●	
Q5	11/08	○	●	●	
Q7	06/06		●	●	
Q7 (4M)	2015	○	●	●	
S4 (B5)	1997–2001		●	●	
S5 Sportback 5 Doors	09/09	○	●	●	
TT-II	2006	○			
TTS	2006	○			

BMW		1	2	3	4
1 (E81/E87)	2005		●	●	
1 (E82)	2007		●	●	
1 (F20)	09/11	○	●	●	
1 (E88)	2008	○	●	●	
1 (E88) (Facelift)	03/11	○	●	●	
1 (F21) 3 ; 5	06/12		●	●	
2er Active Tourer (F45)	03/14	○	●	●	
2er Grand Tourer (F46)	03/15	○	●	●	
3 (E46)	2000–2006		●	●	
3 (E93)	2007		●	●	
3 (E92)	2005		●	●	
3 (E46)	1998–2007		•	•	
3 (E46)	2001–2004		•	•	
3 (E46)	1999–2005		●	●	
3 (E90)	2005		•	•	

BMW		1	2	3	4
3 (E91)	2005		•		•
3 (E91) (Facelift 2008)	2005–2013		•		•
3 (F30)	02/12		•		•
3 (F31)	09/12		•		•
3 GT	03/13		•		•
4 (F36) Grand Coupe	2014		•		•
5 (E39)	2000–2004		•		•
5 (E60)	2003		•		•
5 (E61)	2003		•		•
5 (F10)	2010		•		•
5 (F11) Touring	2010		•		•
5 GT	10/09		•		•
6 (E64)	2003		•		•
6 (E63)	2003		•		•
6 (6C-F12)	03/11		•		•
6 (6C)	11/11		•		•
6 (6C_F06)	06/12		•		•
7 (E65) (Facelift 2005)	2001–2008		•		•
7 (F01)	2008		•		•
7 (7L) (Facelift)	07/12		•		•
i3	2013		•		•
M5(F10)	11/11		•		•
Mini (R56)	2006		•		•
Mini II (Facelift)	08/10		•		•
Mini (R57)	2009		•		•
Mini Cooper	03/14	o	•		•
Mini Countryman 4	09/10		•		•
Mini Countryman 5	09/10		•		•
Mini Countryman (R60)	2010–2017		•		•
Mini Club Man	2007		•		•
X1	10/09		•		•
X1 (E84) (Facelift)	06/12		•		•
X3 (F25)	11/10		•		•
X3 (E83) (Facelift 2006)	2003–2010		•		•
X5 (E53) (Facelift 2003)	1999–2006		•		•
X5	2006		•		•
X5 (F15)	2013		•		•
X6	2008		•		•
X6 (X6_E71)(Facelift)	06/12		•		•

CADILLAC		1	2	3	4
CTS	09/07		•		•
BLS	2006–2010		•		•

CHEVROLET		1	2	3	4
Aveo	09/11		•		•
Camaro (GMX511)	10/11		•		•
Captiva (Facelift 2011)	06/06		•		•
Cruze	03/09		•		•
Cruze SW (KL1J)	09/12		•		•
Epica	05/06		•		•
HHR	2008–2009		•		•
Kalos	2002–2005		•		•
Lacetti	02/04		•		•
Malibu	12/11		•		•
Malibu (KL1G)	07/12		•		•
Matiz [2]	06/05		•		•
Nubira	2004–2009		•		•
Nubira	2004–09/06		•		•
Orlando	01/11		•		•
Spark	03/10		•		•
Tahoe	1999–2006		•		•
Trax	01/13		•		•
Volt (D1JCI)	10/11		•		•

CHRYSLER		1	2	3	4	5	6	7
300C	2008		•		•			
Dodge Caliber	2006		•		•			
Dodge Nitro	2006		•		•			
Dodge Ram (1500) 4 (Facelift 2006)	2002–2008		•	•	•			
Grand Voyager	2001–2007		•		•	•		•
Pacifica (Facelift 2006)	2003–2008		•		•			
PT-Cruiser (Facelift 2006)	2000–2010		•		•			
Sebring	2007		•		•			
Voyager	2001–2007		•		•	•		•
Voyager Stow n Go	2005						•	

CITROEN		1	2	3	4	5	6	7
Berlingo (Facelift 2005)	1996–2009			•				

CITROEN		1	2	3	4	5	6	7
Berlingo	2008	○	●		●			
Berlingo III	2018			●				
Berlingo Multispace	2009	○		●				
C1	2014		●		●			
C2	2003		●		●			
C3 (F)	01/10		●		●			
C4 Picasso	2007	○		●				
C4 Grand Picasso	2006	○		●				
C4 (Facelift 2008)	2004–2010		●		●			
C4 II	10/10		●		●			
C4 Aircross	06/12		●		●			
C5 (R) (Facelift)	12/10		●		●			
C8 (Facelift 2008)	06/02		●		●	●		●
C-Crosser	2007		●		●			
DS4	03/11		●		●			
DS5	03/12		●		●			
Evasion (Facelift 1998)	1994–2002		●		●	●		●
Jumpy	2007		●		●	●		●
Nemo	2007		●		●			
Saxo 5 (Facelift 1999)	1996–2003		●		●			
Spacetourer	2016		●	●	●			
Xara (Facelift 2000)	1997–2006		●		●			

DACIA		1	2	3	4
Duster	2010			●	●
Dokker	2012			●	● ●
Lodgy	2005			●	● ●
Lodgy (SD)	06/12			●	● ●
Logan MCV (Facelift 2009)	2005			●	●
Logan MCV	2013			●	●
Sandero	2008			●	●
Sandero Stepway	2009			●	●

DAIHATSU		1	2	3	4
Cuore	09/07			●	●
Materia	03/06			●	●
Sirion	02/05			●	●
Terios	05/05			●	●
Trevis	09/05			●	●

FIAT		1	2	3	4	5	6	7
500C	2009		●		●			
500L	04/12		●		●			
Bravo (Typ 198)	2007		●		●			
Croma	2008		●		●			
Doblo (Facelift 2005)	2001		●		●			
Doblo II	2010		●		●			
Fiorino Qubo	2008		●		●			
Grande Punto 5	2006–2009		●		●			
Grande Punto EVO	10/09		●		●			
Grande Punto (Typ 199)	09/05		●		●			
Grande Punto (Typ 199)	2005–2009		●		●			
Idea	2003–2007		●		●			
Linea	2007		●		●			
Multipla	2004–2007		●		●			
Panda (Typ 169)	2003–2012		●		●			
Punto 188 3+5 (Facelift 2003)	1999–2007		●		●			
Punto 199	2005–2009		●		●			
Punto 199 3 (Facelift 2012)	02/12		●		●			
Scudo II	2007		●		●	●		●
Sedici (Facelift 2009)	2006		●		●			
Stilo	2001–2007		●		●			

FORD		1	2	3	4	5	6	7
B-Max	09/12		●		●			
C-Max	11/12		●		●			
EcoSport	12/13		●		●			
Fiesta (MK7) 3+5	10/08		●		●			
Focus	1998–2004		●		●			
Focus	11/04		●		●			
Focus (Facelift 2008)	2005–2008	○		●				
Focus	2011		●		●			
Galaxy (Facelift 2010)	2006			●				
Galaxy	2011			●				
Grand C-Max	11/12		●		●			
KA	02/09		●		●			
Kuga	03/13		●		●			
Maverick	2000–2007		●		●			
Mondeo Turnier (BA7) (Facelift)	11/10		●		●			
Mondeo (Facelift 2010)	2007–2010		●		●			

FORD		1	2	3	4	5	6	7
Mondeo (BA7) (Facelift)	12/10		•			•		
Ranger	06/11		•			•		
S-Max (Facelift 2010)	2006				•			
Tourneo Connect (Facelift 2009)	2003		•			•		
Tourneo Connect	2013		•			•		
Tourneo Courier	2014		•			•		
Tourneo Custom	2012		•	•			•	
Transit Connect	2006		•			•		
Transit Kombi	11/11		•			•		
Transit Custom	08/12		•	•			•	

HONDA		1	2	3	4
Accord	2008			•	•
Accord 4+5	2009			•	•
Accord	06/11			•	•
City 4	2009			•	•
Civic Typ R EP3	2001–2006			•	•
Civic 4+5	2006			•	•
Civic 4D	11/11			•	•
Civic 5D	01/12			•	•
CR-V	01/02			•	•
CR-V	2006			•	•
CR-V	10/12			•	• •
CR-V (Facelift)	2015–2017			•	• •
CR-Z	06/10			•	•
FR-V 6	2005			•	•
Insight	04/09			•	•
Jazz (Facelift 2005)	2001–2008			•	•
Jazz 5	11/08			•	•
Jazz (AA)	04/11			•	•

HYUNDAI		1	2	3	4
Getz	2002–2005			•	•
Getz	2005–2008			•	•
H1	2008			•	•
i10	2008			•	•
i20	2009			•	•
i20 (PBT) 3+5 (Facelift)	06/12			•	•
i30	2007			•	•

HYUNDAI		1	2	3	4
i30 (FDH)	07/10		•		•
i30 (GD)	03/12		•		•
i30 cw (FD)	2007–2010		•		•
i30 cw (GD)	06/12		•		•
i40	10/11		•		•
i40	2012		•		•
i40 cw	2011		•		•
iX20 (JC)	11/10		•		•
iX35	2010		•		•
iX55	2009		•		•
Matrix	2008		•		•
Santa Fe	04/06		•		•
Santa Fe (Facelift)	01/10		•		•
Santa Fe	03/12		•		•
Santa Fe (DM)	09/12		•		•
Sonata, i40	2008		•		•
Tucson [1] 5	09/04		•		•
Veloster	06/11		•		•

INFINITI		1	2	3	4
M35h (Y51H)	09/11		•		•

ISUZU		1	2	3	4
D-MAX Double Cap	2007		•		•

JAGUAR		1	2	3	4
F-Pace (761)	2016		•		•
i-Pace	2018		•		•
XF (X260)	2015		•		•

JEEP		1	2	3	4
Jeep Commander	2006		•		•
Jeep Cherokee (Liberty)	2002–2012		•		•
Jeep Grand Cherokee (WK)	12/10		•		•
Jeep Wrangler Unlimited (Facelift)	11/11		•		•

KIA		1	2	3	4	5	6	7
Carens	2006			•		•		

KIA		1	2	3	4	5	6	7
Carnival	2006		●		●	●		●
Ceed	12/06		●		●			
Ceed	2007		●		●			
Ceed	03/12		●		●			
Ceed (JD)	06/12		●		●			
Ceed sw (JD)	09/12		●		●			
Pro Ceed	01/11		●		●			
Opirus (Facelift 2006)	2003		●		●			
Picanto (Facelift 2007)	2004–2011		●		●			
Picanto	2011		●		●			
Rio	05/05		●		●			
Rio UB	2012		●		●			
Soul	02/09		●		●			
Soul (Facelift)	10/11		●		●			
Sorento (Facelift 2006)	2002–2009		●		●			
Sorento	10/09		●		●			
Sorento (XM) (Facelift)	10/12		●		●			
Sportage (Facelift 07/2008)	2004–2010		●		●			
Sportage	2015		●		●			
Sportage SL	2010		●		●			
Venga	11/09		●		●			

LANCIA		1	2	3	4
Delta [2]	2008			●	●
Flavia (JS)	06/12			●	●
Musa (Facelift 2007)	2004			●	●
Phedra (Facelift 2009)	2002			●	●
Thema	11/11			●	●
Ypsilon (Facelift 2007)	2003			●	●
Ypsilon (402)	06/11			●	●

LANDROVER		1	2	3	4	5	6	7
Discovery 4 (Facelift 10/11)	2009			●		●		
Discovery 5	2016		○	●		●	●	●
Discovery Sport	2015			●		●		
Freelander 2 (Facelift 03/11)	2006			●		●		
Range Rover	09/12			●		●		

LANDROVER		1	2	3	4	5	6	7
Range Rover Evoque 5 3+5	2011		●		●			
Range Rover Evoque	2019		●		●			
Range Rover Sport (Facelift 2010)	2005		●		●			
Range Rover Velar	2017		●		●			

LEXUS		1	2	3	4
CT 200h (A10(A))	03/11			●	●
GS 450h (HL10(A))	06/12			●	●
IS (XE2) (Facelift)	11/10			●	●
RX 400h	2006			●	●
RX 450h	2009			●	●

MASERATI		1	2	3	4
Quattroporte	2008			●	●
Gran Turismo	2008			●	●

MAZDA		1	2	3	4
2 DE	2007			●	●
2 DY	2003–2007			●	●
2 (Facelift)	10/10			●	●
3	2003			●	●
3 (Facelift)	11/10			●	●
3	2013			●	●
3 BL	04/09			●	●
323	01/01			●	●
5 (Facelift 2008)	2005			●	●
5 CW	09/10			●	●
6 (Facelift 2005)	05/02–2008			●	●
6	2008			●	●
6 (Facelift)	2009			●	●
6 (Facelift 2005)	2010			●	●
6 (Facelift 2010)	2008–2012			●	●
6	2012			●	●
CX5	12/11			●	●
CX7	2007			●	●
CX7 (Facelift)	2009			●	●
MX5 2 Typ NB	1998–2005		o		
MX5 2 Typ NC (Facelift 2012)	2005		o		

MAZDA		1	2	3	4
Premacy	1999–2005		●		●
RX8	2003		●		●
RX8 (Facelift)	2008		●		●
MX5 2 Seats Typ NB	1998–2005	○			
MX5	06/15	○			
Premacy	1999–2005		●		●
RX8	2003		●		●
RX8 (Facelift)	2008		●		●

MERCEDES		1	2	3	4	5	6	7
A (W168)	03/01		●		●			
A (W169) (Facelift 2008)	05/05		●		●			
A (176)	09/12		●		●			
B (Facelift 2008)	06/05		●		●			
B (W246)	11/11		●		●			
C (W203)	05/00		●		●			
C (S203)	05/01–2007		●		●			
C (W 204)	2007		●		●			
C (S 204)	2007		●		●			
C (T 204)	03/11		●		●			
C (C204)	06/11		●		●			
C (W 204)	03/11		●		●			
Citan	09/12		●		●			
CL (Facelift)	07/10				●			
CLA (C 117)	01/13		●		●			
CLC 180	2008		●		●			
CLK (Facelift 2004)	2002–2010		●		●			
CLS (Facelift 2008)	10/04		●		●			
CLS (C218)	01/11		●		●			
E	03/02		●		●			
E (W 211)	2006		●		●			
E (S 211)	2006		●		●			
E (W212 ; S212)	2009		●		●			
E (W213)	02/16		●		●			
E (C207)	2009		●		●			
E (A207)	2010		●		●			

MERCEDES		1	2	3	4	5	6	7
G (W463) (Facelift 2008)	1990		•		•			
GLE Coupe (C292)	08/15		•		•			
GLK	2008		•		•			
GLK (X204) (Facelift)	06/12		•		•			
M-Klasse (W163) (Facelift 2002)	1997–2005		•		•			
M-Klasse (W164) (Facelift 2008)	2005		•		•			
M (W166)	11/11		•		•			
R (W251/V251)	12/05		•		•	•		•
R (W251)	09/10		•		•			
S (W211) (Facelift 2009)	2005		•		•			
V (W447)	03/14		•	•	•	•	•	•
Vaneo (W414)	2001–2005		•	•	•			
Viano 6	09/03		•		•	•		•
Viano (Facelift 2010)	09/03		•		•	•		•
Viano (W639) (Facelift)	10/10		•		•	•	•	
Vito (V639) (Facelift)	10/10		•	•		•	•	
Sprinter	07/13		•	•				

MG		1	2	3	4
3	2013			•	•

MITSUBISHI		1	2	3	4
ASX	2010			•	•
ASX (Facelift 2012)	2010			•	•
Colt (Z30) 3+5	2004–2008			•	•
Colt (Z30) 5 (Facelift 2008)	2008			•	•
Grandis	2004–2011			•	•
Lancer	2007			•	•
Lancer FL	11/11			•	•
Outlander	2006			•	•
Outlander	2012			•	•
Pajero V80	02/07				•
Space Star	2012			•	•

NISSAN		1	2	3	4
Cube Z12	2008			•	•

NISSAN		1	2	3	4
Evalia	2010		●		●
Infinity Q30	12/15		●		●
Infinity QX30	12/15		●		●
Juke (F15)	2010		●		●
Leaf (ZE0)	04/12		●		●
Navara Double Cab	2005		●		●
Navara NP300 Double Cab (Facelift 2007 / 2010)	11/15		●		●
NV200	07/09		●		●
NV300	2016		●		●
Maxima (A33)	2000–2004		●		●
Micra (K11)	1993–2003		●		●
Micra (K12)	2003		●		●
Micra CC	2005	o			
Micra (K13)	11/10		●		●
Micra	2017		●		●
Murano (Facelift 2008)	2003		●		●
Note	2004		●		●
Note II	2012		●		●
NV300	2016		●		●
Pathfinder (R51)	2007		●		●
Pixo	2009		●		●
Primera (P11)	1996–2002		●		●
Pulsar	2014		●		●
Qashqai	10/08		●		●
Qashqai (Facelift)	02/14		●		●
Qashqai+2 (Facelift 03/10)	10/08		●		●
Tiida	2004		●		●
X-Trail (Facelift 2017)	2014		●		●

OPEL / VAUXHALL		1	2	3	4
Agila B	2008		●		●
Ampera	10/11		●		●
Antara	11/06		●		●
Astra	2004		●		●
Astra H	2004–2010		●		●
Astra GTC	09/11		●		●
Astra J	12/09		●		●
Astra J sedan (P-J)	09/12		●		●
Astra J Sport Tourer	2010		●		●

OPEL / VAUXHALL		1	2	3	4
Astra J Sport Tourer (PJ/SW)	10/10		●		●
Astra K hatchback	2015		●		●
Astra Twin Top	2004–2010		●		●
Combo C (Facelift 2003)	2001–2010		●		●
Corsa C	2000–2006		●		●
Corsa C (Facelift 2003)	2000–2006		●		●
Corsa D (OPC)	2006		●		●
Corsa D FL (S-D)	01/11		●		
Corsa E (OPC)	2014		●		●
Insignia	2008		●		●
Insignia	2009		●		●
Insignia	08/11		●		●
Karl	2015		●		●
Meriva (Facelift 2006)	2003		●		●
Meriva B	2010		●		●
Mokka	06/12		●		●
Signum (Facelift 2005)	2003–2008		●		●
Vectra (Facelift 2005)	2002–2008		●		●
Vivaro (Facelift 2006)	2001		●		●
Zafira B (Facelift 2008)	05/05		●		●
Zafira C	09/11		●		●
Zafira C Tourer	01/12		●		●

PEUGEOT		1	2	3	4	5	6	7
107	2005			●	●			
206	12/98			●	●			
206 CC	2000–2007	o						
206 CC (Facelift)	2000–2007	o						
206 SW (Facelift 2003)	2002–2006	o	●		●			
207 3+5	2006			●	●			
207 CC	04/07	o						
207 SW	2006			●	●			
208 C 3+5	04/12			●	●			
307 (Facelift 2005)	2001–2009			●	●			
307 SW	2002–2008			●	●			
308	2007	o	●		●			
308	2013			●	●			
308 CC	2009			●	●			
308 CC FL	11/11			●	●			
308 SW	2007	o	●		●			

PEUGEOT		1	2	3	4	5	6	7
308 SW (Facelift)	05/11		●		●			
508 (8)	03/11		●		●			
508 SW (8)	03/11		●		●			
508 RXH SW (8)	02/12		●		●			
807 (Facelift 2008)	2002–2010		●		●	●		●
1007 [4]	01/05		●		●			
2008	2013		●		●			
3008 (Allure)	2016	○	●		●			
4007	2007		●		●			
4008 (B)	06/12		●		●			
5008	09/09			●				
Expert	2007		●		●	●		●
Partner	1996			●				
Partner Tepee	2008	○						

PONTIAC		1	2	3	4
Grand AM Saloon 3+5 Door	1998–2004			●	●

PORSCHE		1	2	3	4
Cayenne (Facelift 2007)	2003		○	●	●
Cayenne (Facelift 2014)	2010			●	●
Macan	04/14		○	●	●
Panamera	2009			●	●

RENAULT		1	2	3	4	5	6	7
Captur	04/13	○	●		●			
Clio	1998–2003		●		●			
Clio	2005–2014	○	●		●			
Clio III 3+5	2007		●		●			
Clio II	09/98–2006	○						
Clio II	1998–2005		●		●			
Clio III (Facelift 2009)	06/05		●		●			
Clio IV	08/12	○	●		●			
Clio Grandtour III	2008–2009		●		●			

RENAULT		1	2	3	4	5	6	7
Clio Grandtour	2009		●		●			
Espace IV Grande Espace IV (Facelift 2006)	2002–2010		●	●	●	●		●
Espace (K)	12/10		●	●	●	●		●
Fluence (Z)	08/10		●		●			
Fluence (ZE)	2011		●		●			
Grand Modus	2008		●		●			
Grand Scenic III	2009			●				
Kangoo II	2008	○	●		●			
Kangoo be bop	2009		●		●			
Kangoo (Facelift 2013)	2008–2013		●		●			
Laguna GandTour III (T) (Facelift)	11/10		●		●			
Megane I GrandTour	1999–2003		●		●			
Megane CC (Z)	06/10		●		●			
Megane II 3+5	09/02	○	●		●			
Megane III 3+5	2008		●		●			
Megane III Grandtour	06/09		●		●			
Megane III CC (Z)	06/10		●		●			
Modus	09/04		●		●			
Modus (Facelift)	2008		●		●			
Sandero II	12/12		●		●			
Scenic II	2003–2006	○						
Scenic II (Facelift)	09/06	○						
Scenic III	2009			●				
Trafic	2014		●		●			
Trafic II Phase 1	2001–2006			●			●	
Trafic II Phase 2 (Facelift 2007)	2007–07/10			●				
Trafic II Phase 3	08/10		●	●				
Twingo	1998–2007	○	●		●			
Twingo II	2008	○	●		●			
Vel Satis (Facelift 2005)	2002		●		●			
ZOE	10/12	○	●		●			
ZOE	03/13	○	●		●			

SAAB		1	2	3	4
9-3 Sportkombi	2005–2007			●	●
9-5 Sportkombi	2005–2010			●	●

SEAT		1	2	3	4	5	6	7
Alhambra (Facelift 2004)	1995–2010		●	●	●	●		●
Alhambra (Facelift)	2005		●	●	●			
Alhambra (7N) [4]	10/10		●	●	●	●		●
Altea	2004		●		●			
Altea Freetrack (Facelift 2009)	2007		●		●			
Altea XL	2006		●		●			
Ateca	2016		●		●			
Cordoba Vario (Facelift 1999)	1996–2002		●		●			
Exeo	2009	○	●		●			
Exeo	2009		●		●			
Exeo (Facelift)	12/11		●		●			
Ibiza (6K)	1993–2002		●		●			
Ibiza (6L) (Facelift 2006)	2002–2008		●		●			
Ibiza (6J)	2008		●		●			
Ibiza	2010		●		●			
Leon (1M)	1999–2006		●		●			
Leon (1P)	2005		●		●			
Leon 3+5	05/12		●		●			
Mii	2011		●		●			
Mii 3 (baugleich VW Up)	2011		●		●			
Mii 5 (baugleich VW Up)	05/12		●		●			
Toledo M1 5	1999–2004		●		●			
Toledo	2004		●		●			
Toledo	05/12		●		●			

SKODA		1	2	3	4
Citigo (baugleich VW Up)	2011			●	●
Citigo 3 + 5	06/12			●	●
Fabia I (Facelift 2004)	1999–2007			●	●
Fabia II	2007			●	●
Fabia II Combi (5J) (Facelift)	09/10			●	●
Fabia III	09/14			●	●
Felicia	1994–2001			●	●
Octavia I	1996–2004			●	●
Octavia (FL 2000)	1996–2010			●	●
Octavia II	2004		○	●	●
Octavia II (Facelift)	2009		○	●	●

SKODA		1	2	3	4
Octavia Scout	2007–2012		●		●
Octavia	11/12	○	●		●
Octavia	2012		●		●
Rapid SpaceBack (NH)	10/13		●		●
Rapid (NH)	10/12		●		●
Roomster	2006		●		●
Roomster (Facelift)	05/10		●		●
Superb I (Facelift 2006)	10/01–2008		●		●
Superb II	2008		●		●
Superb (Facelift 2013)	2008–2013		●		●
Superb	2015		●		●
Yeti	2009		●		●

SMART		1	2	3	4
Forfour [3] Typ 454	2004–2006		●		●
Forfour Typ 453	2014		●		●
Fortwo Typ 451	2007	○			
Fortwo Typ 451 (FL)	10/10	○			
Forfour (W453)	11/14		●		●

SUBARU		1	2	3	4
Forester	2002–2008		●		●
Forester III	2008		●		●
Impreza	2007		●		●
Legacy (Facelift 2007)	2004		●		●
Legacy	08/09		●		●
Outback (Facelift 2007)	2003		●		●
Outback	08/09		●		●
Trezia	06/11		●		●
XV	2011		●		●

SUZUKI		1	2	3	4
Alto VII	2009		●		●
Grand Vitara	2005		●		●
Kizashi (FR)	09/10		●		●
Splash	2007		●		●
Splash (EX) (Facelift)	05/12		●		●

SUZUKI		1	2	3	4
Swift	02/05–10/10		•		•
Swift	09/10		•		•
SX4	2006		•		•
SX4 S-Cross	10/13		•		•

TATA		1	2	3	4
Indica Vista	2008		•		•

TESLA		1	2	3	4	5	6	7
Model S	2014 >		•		•			
Model X	2016 >		•		•	•		•

TOYOTA		1	2	3	4
Auris (Facelift 2010)	2007–2010		•		•
Auris (E15) (Facelift)	03/10		•		•
Auris (Facelift 2015)	2012		•		•
Auris Hybrid	09/10		•		•
Avensis (T22)	2000–2003		•		•
Avensis (T25) (Facelift 2006)	2003–2009		•		•
Avensis (T27)	2009		•		•
Avensis (T27)	01/12		•		•
Corolla	2000		•		•
Corolla (Facelift 2004)	2002–2007		•		•
Corolla Verso	2004–2009		•		•
IQ	2009		•		•
Land Cruiser (J12)	2002		•		•
Land Cruiser (V8)	2008		•		•
Land Cruiser	11/09		•		•
Previa (Facelift 2009)	2000–2009		•		•
Prius	2003–2009		•		•
Prius (Facelift 04/12)	2009		•		•
Prius+ (XW4(A))	06/12		•		•
RAV4	2000–2006		•		•
RAV4 (Facelift 2009)	2006		•		•
RAV4	2013		•		•
Urban Cruiser	2009				•
Verso S (XP12(A))	03/11		•		•
Yaris 3+5	1999–2005		•		•

TOYOTA		1	2	3	4
Yaris 3+5 (Facelift 2009)	2005–2011		●		●
Yaris 3+5	08/11		●		●
Yaris Verso (Facelift 2003)	1999–2005		●		●

VOLVO		1	2	3	4
C30	2006		●		●
C70	2005		●		●
XC70	2007		●		●
S40 (Facelift 2007)	2003		●		●
S60 (R)	03/10		●		●
S80 (Typ AS) (Facelift 2009)	2006		●		●
V40 (Facelift 2000)	1996–2004		●		●
V 40 (M)	09/12		●		●
V50	2004		●		●
V60 (F)	2010		●		●
V70	2000–2007		●		●
V70	2007		●		●
V70	08/11		●		●
XC60	2008		●		●
XC70	2007		●		●
XC70	08/11		●		●
XC90 5+7 (Facelift 2006)	2002–2014		●		●

VW		1	2	3	4	5	6	7
Amarok	2010			●	●			
Beetle	1998			●	●			
Beetle	2002			●	●			
Beetle (Facelift)	2005			●	●			
Beetle 3	07/11			●	●			
Bora	1998–2005			●	●			
Caddy [4]	2004			●	●			
Caddy [4] (Facelift 2010)	2010			●	●			
EOS (Facelift 2010)	2006		o	●	●			
EOS (1F) (Facelift)	10/10		o					
Fox	04/05			●	●			
Golf IV	09/97–2003			●	●			
Golf IV Variant	1999–2006			●	●			

VW		1	2	3	4	5	6	7
Golf V	2003	•			•			
Golf V (R32)	09/05	•			•			
Golf V Plus	2006–2009	•			•			
Golf V Variant 5	2007	•			•			
Golf VI	08/08	•			•			
Golf VI Variant (Facelift 2009)	2009	•			•			
Golf VI (1K)	06/11	•			•			
Golf VI Plus (Facelift)	2009	•			•			
Golf VII	08/12	•			•			
Golf VII	09/13	•			•			
Golf VII Sportsvan	06/14	•			•			
Golf Sportsvan	02/14	•			•			
Jetta V	2005–2010	•			•			
Jetta VI	2010	•			•			
Passat (B5) (Facelift 2000)	1996–2005	•			•			
Passat (B6) (Facelift 2010)	2005	•			•			
Passat B7	2010	•			•			
Passat B7 Alltrack	02/12	•			•			
Passat B8 (3C)	11/14	•			•			
Passat CC	2008	•			•			
Phaeton	2002	•			•			
Polo III (Facelift 1999)	1994–2001	•			•			
Polo III (6N2) (1999)	1999–2001	•			•			
Polo IV (9N) (Facelift 1999)	2001–2005	•			•			
Polo IV (9N3)	2005–2009	•			•			
Polo V (6R)	2009	•			•			
Scirocco	07/08	•			•			
Scirocco III	08/08	•			•			
Sharan (Facelift)	2004	•		•	•			
Sharan II [4]	2010	•		•	•	•		•
Sharan II [4] (7N)	09/10	•			•			
Polo IV (9N) (Facelift 1999)	2001–2005	•			•			
T4 Multivan (Facelift 1996)	1990–2003	•			•	•		•
T5 California (Facelift 2010)	2003				•		•	•

VW		1	2	3	4	5	6	7
T5 Caravelle (Facelift 2009)	2003		●	●				
T5 Multivan	2003		●		●	●		●
T5 Multivan (Facelift 2010)	2003		●		●	●		●
T6 Multivan	2015		●		●	●		●
Tiguan	2007		●		●			
Tiguan (Facelift)	07/11		●		●			
Touareg (7L) (Facelift 2006)	2002–2010		●		●			
Touareg II (C2)	2010		●		●			
Touran [4]	2010		●		●			
Touran (Facelift 2006)	2003–2010		●		●			
Touran (5T)	09/15		●	●	●			
UP! (Lupo II) 3	08/11		●		●			
UP! (Lupo II) 5	05/12		●		●			



Swandoo 微信公众号

如果您有任何问题,请联系我们,服务热线:
400 928 5060 静候佳音!

hello@swandoo.com

+86 512 6636 0798

ALWAYS WITH YOU
www.swandoo.com

© 2024 Swandoo, All rights reserved

Swandoo GmbH
Landstrasser Hauptstrasse 71/3/101
1030 Vienna
Austria

亚洲销售和制造商:
苏州纪宝儿童用品有限公司
江苏省苏州市高新区金枫路199号
邮编:215009

ALWAYS WITH YOU

www.swandoo.com